



## FINISHED PRODUCT SAFETY DATA SHEET (SDS)

1. Product Description	
Product Name	Coconut Oil
Product Number	All Coconut Oil items
Brand	All
Supplier	Ventura Foods 40 Pointe Drive Brea, CA 92821 800-421-6257
Emergency Phone Number	Chemtrec (800) 424-9300
Use of substance	Food ingredient
Date	November 18, 2022

2. HAZARD IDENTIFICATION	
Description	Appearance: Light yellow Physical State: Liquid Odor: Slight vegetable oil
Handling	If smoking occurs from oil usage, reduce or remove from heat. Spontaneous combustion (fire) may result from oil soaked materials such as rags, steel wool, paper and clothing, even if laundered. Place soaked materials in a Underwriting Laboratories or FM Global approved sealed, metal container equipped with self-closing or fusible link operated covers to prevent this. If smoking occurs from oil usage, reduce or remove from heat. This product is NOT classified as hazardous according to CFR 1910, amended to conform to the United Nations' Globally Harmonized System of Classification and Labeling of Chemicals (OSHA / GHS); SOR/88-66, the Canadian Controlled Products Regulations (CPR); and/or NOM-002-SCT-2003 (Mexico). However, vegetable oil (in mist form) is known to be listed as an OSHA 29 CFR 1910.1000 Air Contaminant. Occupational exposure limits are subsequently provided in section 8 of this SDS.
OSHA Hazards	No known OSHA hazards. Not a dangerous substance according to GHS.
HMIS Classification	Health: 0 Flammability: 1 Physical Hazard : 0
NFPA Rating	Health: 0 Fire: 1 Reactivity: 0
Potential Health Effects	Inhalation: May be harmful if inhaled. May cause respiratory tract irritation. Skin: May be harmful if absorbed through skin. May cause skin irritation. Eyes: May cause eye irritation. Ingestion: Food ingredient. Not a hazardous substance. <i>WARNING: May cause damage to organs (respiratory system) through inhalation exposures.</i>

3. COMPOSITION/INFORMATION ON INGREDIENTS	
Chemical/Common Name/CAS	Coconut Oil CAS#8001-31-8 May contain one or more of the following food additives: Antifoam (2-4ppm dimethylpolysiloxane)
GRAS status	All ingredients are FDA GRAS.
Hazard status	No food ingredients are hazardous according to OSHA criteria.

4. FIRST AID MEASURES	
Inhalation	Move to fresh air in case of accidental inhalation of vapors or decomposition products.
Skin contact	Wash off with soap and plenty of water.
Eye contact	Flush eyes with water or special eyewash solution.
If swallowed	Ingestion of edible vegetable oil is nontoxic and should pass through the system.

5. FIREFIGHTING MEASURES	
Conditions of flammability	Materials may pose fire hazard.
Suitable extinguishing media	Alcohol resistant foam, dry chemical or carbon dioxide. Use extinguishing measures that are appropriate to local circumstances and the surrounding area.
Special protective equipment for firefighters	Wear self-contained breathing apparatus for firefighting if necessary.
Specific hazards arising from the Chemical Oil	Risk of ignition. Rags and other materials containing this product may heat up and spontaneously ignite if exposed to air, even if laundered. Store wiping rags and similar materials in Underwriting Laboratories or FM Global approved metal cans equipped with self-closing or fusible link operated covers. Cool closed containers exposed to fire with water spray. Avoid hot oil; if smoking occurs during application reduce or remove from heat.
Hazardous combustion products	Hazardous decomposition products formed under fire conditions. Nature of decomposition products not known.
NFPA Health	0
NFPA Stability and Reactivity	0
NFPA Flammability	1
NFPA Physical Hazard	0

6. ACCIDENTAL RELEASE MEASURES	
Personal Protection	Avoid breathing vapors, mist or gas. Recommend exhaust fans over grills and deep frying.
Environmental Precautions	Prevent further leakage or spillage. Do not allow product to reach soil, sewage or any water sources. Dispose per local, state, and federal regulations.
Methods and materials for containment and cleaning up	Keep in Underwriting Laboratories or FM Global approved containers equipped with self-closing or fusible link operated covers for disposal. Dispose of rags used in clean up. Remember oil soaked rags or partially cleaned materials may spontaneously combust.

7. HANDLING AND STORAGE	
Conditions for safe storage	Ensure adequate dry, well ventilated storage area between 50 – 120F. Clean up any spillage to avoid accidents immediately.
Combustible conditions	Keep away from open flames, hot surfaces and sources of ignition.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION	
Occupational exposure limit values	Contains butter flavoring, which may contain diacetyl, 2,3 - pentanedione, 2,3 -hexanedione, 2,3 - heptanedione, and other diketones and flavoring chemicals.
PPE: Respiratory protection	Respiratory protection should be worn when workplace exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use a NIOSH approved respirator where there is a potential for adverse effects where indicated or required by the exposure assessment. Selection of particular respirators will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the actual or potential airborne concentrations.
Hand protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
Eye protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (USA) and EN 166 (EU). Oil in eye must be flushed with water or special first aid eye wash continuously.
Skin and Body protection	Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Deep frying or grill operator must use nonabsorbent apron when dealing with hot oil.
Hygiene measures	Good industrial hygiene practices.
Engineering measures	Ventilation: Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposures limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

9. PHYSICAL AND CHEMICAL PROPERTIES	
Form	Clear liquid at >80F, solid <76F
Color	Clear >80F, white <76F
pH	NA
Specific gravity	@0.926 (H2O = 1)
Melt point/freezing point	75-80F
Smoke point	>375F
Flash point	>550F
Ignition temperature	>610F
Auto-ignition	Not auto flammable
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapor pressure	<.1mm Hg at 300C
Boiling point	No data available
Water solubility	Insoluble
Partition coefficient	No data available
Relative vapor	No data available
Density	No data available
Odor/Flavor	Slight bland odor
Odor threshold	No data available
Evaporation rate	<1 (butyl acetate = 1.0)

10. STABILITY AND REACTIVITY	
Chemical stability	Stable under recommended storage conditions (<120F). Cooking and frying temperature 374-400F, oil will smoke. Reduce or remove from heat.
Possibility of hazardous reaction	None known.
Conditions to avoid	None known.
Materials to avoid	Strong oxidizing agents.
Hazardous decomposition products	Formed under fire conditions – nature of decomposition not known. Other decomposition products – no data available Rags used for clean-up (clean or contaminated) can combust if conditions are adequate, even if laundered. Keep in safe place or dispose of rags after usage in an Underwriting Laboratories or FM Global approved metal container equipped with self-closing or fusible link operated cover.
Materials to avoid	Strong oxidizing agents.
Hazardous decomposition products	Formed under fire conditions – nature of decomposition not known. Other decomposition products – no data available Rags used for clean-up (clean or contaminated) can combust if conditions are adequate, even if laundered. Keep in safe place or dispose of rags after usage in an Underwriting Laboratories or FM Global approved metal container equipped with self-closing or fusible link operated cover.

11. TOXICOLOGICAL INFORMATION	
Acute toxicity	Oral: LD50 no data available. Inhalation: LC50 no data available. Dermal: LD50 no data available.
Skin corrosion	No data available.
Serious eye damage	No data available.
Respiratory or skin sensitization	No data available.
Carcinogenicity IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed carcinogenic by IARC.
Carcinogenicity ACGHI	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed carcinogenic by ACGIH.
Carcinogenicity NTP	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed carcinogenic by NTP.
Carcinogenicity OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed carcinogenic by OSHA.
Reproductive toxicity	No data available.
Teratogenicity	No data available.
Specific target organ toxicity	No data available.
Aspiration hazard	No data available.
Potential health effects	Inhalation: May be harmful if inhaled. Ingestion: The material is a non hazardous food ingredient. Skin: May be harmful if absorbed through skin. Eyes: May cause eye irritation.
Signs and symptoms of exposure	No data available.
Synergistic effects	No data available.
Additional information	No data available.

12. Ecological Information	
Toxicity	Contains no substances known to be hazardous to the environment. Contains no substances known to be not degradable in waste treatment facilities.
Persistence and degradability	Readily biodegradable.
Bio accumulative potential	Not applicable.
Mobility	Oil is insoluble in water and will float in water.
PBT and vPVB assessment	No data available.
Other adverse effects	No data available.

13. DISPOSAL CONSIDERATIONS	
Recycle	Whenever possible, as rules and regulations allow, please recycle or manage materials to minimize waste.
Waste disposal methods	Oil soaked materials may spontaneously combust, even if laundered and should be properly managed to avoid ignition and heat sources or oxygen rich environments. Collect and store soaked materials in Underwriting Laboratories or FM Global approved metal containers equipped with self-closing or fusible link operated covers.
Contaminated packaging	Containers should be decontaminated and taken for local recycling, recovery or waste disposal facility. Follow local, state and federal guidelines.

14. TRANSPORT INFORMATION	
DOT (US), Canada (TDG), Mexico (MEX)	Not regulated; Not dangerous goods.
IMDG	Not regulated; Not dangerous goods.
ICAO	Not regulated; Not dangerous goods.
IATA	Not regulated; Not dangerous goods.

#### 15. REGULATORY INFORMATION

International Inventories: The components of the product are reported in the following inventories:

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	AICS	ENCS ISHL	CHINA	PICCS	KECL	NZLoC
Coconut		Yes	No	No	No	No	No		No		

Legend:

TSCA	Toxic Substances Control Act Section 8(b) Inventory
DSL	Domestic Substance List (Canada)
NDSL	Non-Domestic Substance List (Canada)
EINECS	European Inventory of existing commercial chemical substances
ELINCS	European List of Notified Chemical Substances
AICS	Australian Inventory of Chemical Substances
ENCS	Existing and new Chemical Substances (Japan)
ISHL	Industrial Health and Safety Law (Japan)
CHINA	Chinese Inventory of Existing Chemical Substances (China)
PICCS	Inventory of Chemicals and Chemical Substances ((Philippines)
KECL	Korean Existing and Evaluated Chemical Substances (Korea)
NZLoC	New Zealand Inventory of Chemicals (New Zealand)

USA	<p><b>OSHA Hazards</b> No known OSHA hazards</p> <p><b>SARA 302 Components</b> SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.</p> <p><b>SARA 313 Components</b> SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.</p> <p><b>SARA 311/312 Hazards</b> No SARA Hazards</p> <p><b>Massachusetts Right To Know Components</b> No components are subject to the Massachusetts Right to Know Act.</p> <p><b>Pennsylvania &amp; New Jersey Right To Know Components</b> Soybean oil extractives and their physically modified derivatives. Consists primarily of glycerides of the fatty acids linoleic, CAS-No. 8001-22-7 Revision Date 1989-08-11</p> <p><b>Clean Air Act, Section 112 Hazardous Air pollutants (HAPs) (see 40 CFR 61). Product is not known to contain HAPS.</b></p> <p><b>California Prop. 65 Components</b> This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other Reproductive harm.</p>
Canada	<p>Domestic transport regulations (Canada) WHMIS Product Classification Not a WHMIS controlled product. 15. REGULATORY INFORMATION WHMIS Ingredient Disclosure List IDL No known component is listed on the WHMIS ingredients disclosure list.</p> <p>(NPRI) Canadian National Pollutant Release Inventory No known component is listed on NPRI. This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.</p>
Mexico	Mexico - Grade Slight risk, Grade 1

## 16. OTHER INFORMATION

**WARNING:** This product contains butter flavoring, which may contain diacetyl, 2,3, pentanedione, 2,3 hexanedione, 2,3 heptanedione, and other diketones and flavoring chemicals. NIOSH has stated in its HHE Report dated November 2009, that "The toxicology of diacetyl substitutes is only now being studied. Until more is known about 2,3-Pentanedione and other alpha-diketone compounds, they should not be assumed to be safe. Management should continue to limit exposures to flavorings through a combination of engineering controls, work practices, and respiratory protection. Workers should report symptoms to their personal physician and to a designated individual at the workplace." (NIOSH Health Hazard Evaluation Report- HETA 2008-0230-3096). With respect to signs and symptoms of flavoring-related fixed airways obstruction, OSHA has stated: "The initial signs and symptoms of flavoring-related fixed airways obstruction, including bronchiolitis obliterans, may be subtle. The signs and symptoms seen in affected workers include cough, fatigue, and shortness of breath with exertion. Signs and symptoms generally do not improve on weekends or vacations. Signs and symptoms may have a gradual onset, but in some cases severe signs and symptoms have occurred suddenly with rapid progression of lung disease. Determining appropriate respiratory protection will depend on the specific conditions under which the flavorings are used. For further guidance, see the OSHA Respiratory Protection Standard, 29 CFR 1910.134, and the OSHA publication Occupational Exposure to Flavoring Substances: Health Effects and Hazard Control (SHIB 10-14- 10).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification either expressed or implied. The information is related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

The information in this SDS was obtained from current and reliable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. Since the conditions of use, handling, storage and disposal of this product are beyond our control; it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or exposure due to improper use of this product.



## Key for Abbreviations

ACGIH TLV	American Conference of Governmental Industrial Hygienists Threshold Limit Values
AICS	Australian Inventory of Chemical Substances (Australia)
CAS	Chemical Abstract Service
CHINA	Chinese Inventory of Existing Chemical Substances (China)
DOT	U.S. Department of Transportation
DSL	Domestic Substance List (Canada)
EINECS	European Inventory of Existing Commercial Chemical Substances (EU)
ELINCS	European List of Notified Chemical Substances (EU)
ENCS	Existing and New Chemical Substances (Japan) / ISHL
FM Global and Underwriting Laboratories	Fire Protection Experts
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
IATA	International Air Transport Association Dangerous Goods Regulations
ICL	In Commerce List (Canada)
IMDG	International Maritime Dangerous Goods Code
IMO	International Maritime Organization
KECL	Korean Existing and Evaluated Chemical Substances (Korea)
LC50	Lethal concentration that produces fatalities in 50% of a given test population
LD50	Median lethal dose of a given test population
MEX	NOM
MEXICO	México Occupational Exposure Limits
NDSL	Non Domestic Substances List (Canada)
NFPA	National Fire Protection Association
NIOSH	National Institute of Occupational Safety and Health
NZIoC	New Zealand Inventory of Chemicals (New Zealand)
OSHA	Occupational Safety & Health Administration
OSHA PEL	Occupational Safety and Health Administration Permissible Exposure Limits
PICCS	Inventory of Chemicals and Chemical Substances (Philippines)
STOT	Specific Target Organ Toxicity
TDG	Transportation of Dangerous Goods (Transport Canada)
TSCA	Toxic Substances Control Act, Section 8(b) Inventory (USA)
TWA	Time Weighted Average: Average concentration that should not be exceeded during a work day (usually 8)